



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,613	02/05/2002	Densen Cao	5061.8 P	9973

7590

09/10/2004

Parsons, Behle & Latimer  
Suite 1800  
201 South Main Street  
P.O. Box 45898  
Salt Lake City, UT 84145-0898

EXAMINER
----------

LEWIS, RALPH A

ART UNIT	PAPER NUMBER
----------	--------------

3732

DATE MAILED: 09/10/2004

7

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/072,613

Applicant(s)

CAO, DENSEN

Examiner

Ralph A. Lewis

Art Unit

3732

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

### **Rejections based on 35 U.S.C. 112, second paragraph**

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 15 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 15 confusingly repeats the limitations found in earlier claim 10.

### **Obvious-type Double Patenting Rejections**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-18 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-18 of copending Application No. 10/723,302. Although the conflicting claims are not identical,

they are not patentably distinct from each other because the method claims of 10/072,302 set forth a method of using an LED curing light with pulsed current, merely setting forth that claimed device in an apparatus claim would have been obvious to one of ordinary skill in the art.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

### **Rejections based on Prior Art**

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mills et al (WO 99/16136) in view of Kennedy (US 5,634,711) and Ostler et al (US 6,008,264)

Mills et al discloses a dental curing light Figure 5 comprised of a wand 47, power supply 52, electronic circuitry 54, light emitting semi conductor chip(s) 43, primary heat sink 48, secondary heat sink 45, 51. The light emitting elements may be operated in a pulsed mode (page 16, 4<sup>th</sup> paragraph). While Mills et al disclose the pulsed operation of the light emitting diodes, they fail to disclose the specifically claimed "square wave pattern" for the LED driving current. Kennedy et al, however, teaches the use of square

Art Unit: 3732

wave forms (107a and 107b) for driving the LED array of a similar dental curing light.

The use of the pulses permits higher out put levels without generating excess heat and more efficient power consumption (column 5, lines 25-30). To have used a square wave pattern for producing the pulsed operational mode the Mills et al as taught by Kennedy in order to have high efficiency and lower heat out put would have been obvious to one of ordinary skill in the art in view of the teaching by Kennedy.

Additionally, attention is drawn to Ostler et al who teach that square pulses provide for enhanced curing of dental material (note column 16, lines 35-51). To have made the Mills et al pulses square as taught by Ostler et al in order to improve the curing of dental material would have been obvious to one of ordinary skill in the art.


### Prior Art

Applicant's information disclosure statement of February 05, 2002 has been considered and an initialed copy enclosed herewith.

Otuska (US 6,638,063), Decaudin et al (US 6,692,250), Logan et al (US 6,692,251), Scott (US 6,692,252), Plank (US 6,695,614), Gordon et al (US 6,709,128), and Plank et al (US 6,767,109) are made of record.

Any inquiry concerning this communication should be directed to **Ralph Lewis** at telephone number **(703) 308-0770**. Fax (703) 872-9306. The examiner works a compressed work schedule and is unavailable every other Friday. The examiner's supervisor, Kevin Shaver, can be reached at (703) 308-2582.

R.Lewis  
September 7, 2004

  
Ralph A. Lewis  
Primary Examiner  
AU 3732